

HawkLite™

WHERE HIGH PERFORMANCE + QUALITY COME STANDARD


The all-new HawkLite by EnergyLite, a brand of Solais Lighting Group, was developed using the latest technology from the world's largest and highest quality LED manufacturer. We worked in conjunction with industry veterans to develop customized optics—using the highest quality materials—for our fixture to ensure the highest quality and performance on the market.

Tool-less, Removable — Die Cast Aluminum Door Strain Relief with **Pressure Vent** Discrete -**LED Wiring** Uniquely Designed **Power Supply** 0-10V + DALI Capable IP66 -Sealed **Optics** Large, Easily Accessible 3 Pole **Terminal Block** Die Cast Aluminum **High Visibility** Optic **Bubble Level** Frame Adjustable Mounting Bracket Single-piece **Die Cast** Aluminum Housing Easy-grab Opening Built into Design for Ease of Installation Optional 4 Pole **Terminal Block** Self-adjusting Optional High Power **Pest Guard Surge Suppressor** 20kV 10kA Surge Suppressor 10kV 5kA Standard **Optional Second Mounting Bracket** (Only for HL2)

HLm

Mini Optic 1,000 - 5,000 Lumens






HL1


Single Optic 4,000 - 10,000 Lumens






HL2


Double Optic 10,000 - 18,000 Lumens






HL3

Triple Optic 20,000 - 30,000 Lumens





CERTIFICATIONS

- Dark Sky Compliant
- UL/cUL for Wet Locations
- 3G Bridge Vibration Rated (ANSI C136.31-2010)
- LM80/TM21 Projections > 100,000 Hours
- 1,000 Hour Salt Spray Compliant
- IP66 Rated Optical Chamber
- UV Salt Fog
- IDA Dark Sky listed on ≤3000K
- DLC
- DLC Premium











